



ARTRES


ARTRES Linear | Eicoff Advertising, Chicago, IL | Photograph: Jonathan Galbreath

Énergie • 4885 Ward Road, Suite 300 • Wheat Ridge, CO 80033 • Tel 720 963 8055 • www.energielighting.com


multiline®



ARTRES Bollard | Shell Netherlands Sales Office, Rotterdam, Netherlands | Lighting Design: Maas Hagóort | Photograph: Multiline



ARTRES Wall | Church, Tongeren, Belgium | Lighting Design: Multiline
Photograph: Multiline



ARTRES Wall | IDB Benelux Office, Genk, Belgium
Lighting Design: Multiline | Photograph: Multiline

ARTRES. Minimal linear aesthetic.

ARTRES by Multiline from Lummen, Belgium is based on linear, minimalist themes in contemporary building architecture. Refined in its optics and construction, ARTRES is also remarkably versatile, available in sconce, linear wall-mount, and bollard versions for both indoor and outdoor applications.

Indoors or outdoors.

All ARTRES luminaires are weather resistant and **UL/CUL Wet Location Listed** so they can be used indoors or outdoors.



Eicoff Advertising, Chicago, IL | Photograph: Jonathan Galbreath

ARTRES Linear



Rabobank Netherlands, Raamsdonksveer, Netherlands | Architect: Marquart Architects | Lighting Design: A-TEX Netherlands | Photograph: Multiline

ARTRES Bollard



ARTRES Bollard uses compact fluorescent or metal halide lamps and has a zero-degree ballast for cold-weather applications.



Left to Right: ARTRES Linear (vertical mount), ARTRES Linear (horizontal mount), ARTRES Sconce (2), and ARTRES Linear (vertical mount).

Product details.

- Linear, minimalist design complements building architecture
- Available in sconce, linear wall-mount and bollard versions
- ARTRES Linear Wall may be mounted horizontally or vertically
- Weather resistant and **UL/CUL Wet Location Listed**; suitable for outdoor use

CONSTRUCTION Fixture is constructed of extruded aluminum, type F22. All seams and edges are invisible welds.





FINISH Body finish is a lightly textured gray polyester powder coat specifically developed for all-weather resistance.

SHIELDING Lamp is protected by a gasketed glass lens.

ELECTRICAL 120V or 277V. Fully gasketed fixture is supplied with integral electronic transformer. Sconce and linear wall versions are dimmable.

MOUNTING ARTRES Sconce and ARTRES Linear fixtures mount to wall brackets with recessed screws. Both are supplied with a custom Énergie junction box that can be shipped ahead of the fixtures. ARTRES Linear fixtures may be mounted horizontally or vertically. ARTRES Bollard mounts to mounting bracket with recessed screws.

See product specification sheets at www.energielighting.com for complete details.

 WET LOCATION LISTED	 ARTRES Sconce	 ARTRES Linear	 ARTRES Bollard
Catalog Number Prefix	ARS	ARL	ARB
Mounting	Vertical	Vertical or horizontal	Vertical
Dimmable	Yes	Yes	Yes* (CFL only)
Lamp (supplied by others)	1x35W bi-pin MR11 GU4	<u>Vertical Mounting</u> 2x35W bi-pin MR11 GU4 <u>Horizontal Mounting</u> 4x35W bi-pin MR11 GU4	1x18W CFL G24q-2 1x39W T6 metal halide G12

*With ELV dimmer only.

Dimensions.

