



SCORTA


SCORTA Pendant 2x2 | Tile Shop, Sittard, Netherlands | Lighting Design: Utilicht | Photograph: Multiline



SCORTA Pendant 1x4 | Multiline Offices, Beringen, Belgium | Lighting Design: Multiline | Photograph: Multiline



SCORTA Pendant 2x2




SCORTA Pendant 1x4 | Atletico Sports Shop, Arendonk, Belgium
Lighting Design: Rudy Seuntjens | Photograph: Multiline

SCORTA. Understated design. Excellent light.

Lighting could not be simpler than SCORTA, nor more elegant. This acclaimed family from Multiline of Belgium offers direct/indirect pendants for office spaces, conference rooms, reception areas, and a variety of other applications.

Framed in anodized aluminum, SCORTA's understated rectilinear form and acrylic diffuser creates an elegant panel of light. An opalescent diffuser shields the T5 lamps while still providing subtle lamp image for visual texture. A clear upper diffuser is also positioned above the lamps to keep dirt and debris out of the luminaire.

The SCORTA family includes a 1x4 pendant and a 2x2 pendant.



SCORTA Pendant 1x4



SCORTA Pendant 2x2



SCORTA Pendant 1x4






SCORTA Pendant 2x2

Product details.

- Clean, rectilinear shape
- Acrylic diffusers create the effect of a floating panel of light
- Available in two pendant sizes
- Diffusers are positioned above and below high-efficiency T5 lamps, resulting in optimal task illumination with minimal glare
- Dimmable


CONSTRUCTION	Fixture frame is constructed of extruded aluminum. Corners are fastened together with steel internal brackets.
FINISH	Body finish is anodized aluminum.
SHIELDING	Lamps are shielded by an opal acrylic diffuser below the lamps and a clear acrylic diffuser above the lamps. Diffusers provide a stripe effect on the bottom panel from the evenly spaced lamps.
ELECTRICAL	120V or 277V. Integral electronic ballast.
MOUNTING	Fixtures are supplied with 72-inch fully adjustable with “Y” aircraft cables.

See product specification sheets at www.energielighting.com for complete details.

	 DAMP LOCATION LISTED	 SCORTA Pendant 1x4	 SCORTA Pendant 2x2
Catalog Number Prefix		SCO-14	SCO-22
Dimmable		Yes	Yes
Indirect % / Direct %		53% / 47%	53% / 47%
Lamp (supplied by others)		2x28W T5 2x54W T5HO	4x14W T5 4x24W T5HO

Dimensions.

SCORTA Pendant 1x4



SCORTA Pendant 2x2

